KIDNEY INTERNATIONAL

Volume 61, June 2002

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Immunoglobulin light chain amyloidosis and the kidney. *Morie A. Gertz, Martha Q. Lacy, and Angela Dispenzieri* 1

Toward better dialysis compatibility: Advances in the biochemistry and pathophysiology of the peritoneal membranes. *Toshio Miyata, Olivier Devuyst, Kiyoshi Kurokawa, and Charles van Ypersele de Strihou* .. 375

Paradigm shift from classic anatomic theories to contemporary cell biological views of CAKUT. *Iekuni Ichikawa, Fumiyo Kuwayama, John C. Pope IV, F. Douglas Stephens, and Yoichi Miyazaki* 889

Is folate a promising agent in the prevention and treatment of cardiovascular disease in patients with renal failure? *An S. De Vriese, Francis Verbeke, Bieke F. Schrijvers, and Norbert H. Lameire* 1199

Methodological issues in studying the epidemiology of mild to moderate chronic renal insufficiency. *Chi-Yuan Hsu, Glenn M. Chertow, and Gary C. Curhan* 1567

Clinical and genetic epidemiology of inherited renal disease in Newfoundland. *Patrick S. Parfrey, William S. Davidson, and Jane S. Green* 1925

PERSPECTIVES IN BASIC SCIENCE

Toward an etiological classification of developmental disorders of the kidney and upper urinary tract. *Martin Pohl, Vibha Bhatnagar, Stanley A. Mendoza, and Sanjay K. Nigam* 10

Stem cells in the kidney. *Qais Al-Awqati and Juan A. Oliver* 387

Pharmacology of cyclooxygenase-2 inhibition in the kidney. *Kanwar Nasir M. Khan, Susan K. Paulson, Kenneth M. Verburg, James B. Lefkowith, and Timothy J. Maziasz* 1210

The T cell as a bridge between innate and adaptive immune systems: Implications for the kidney. *Hamid Rabb* 1935

GENETIC DISORDERS – DEVELOPMENT

L-arginine rescues decreased erythropoietin gene expression by stimulating GATA-2 with L-NMMA. *Shigehiko Imagawa, Takahisa Tarumoto, Norio Suzuki, Harumi Y. Mukai, Yuichi Hasegawa, Masato Higuchi, Tomohiro Neichi, Keiya Ozawa, Masayuki Yamamoto, and Toshiro Nagasawa* 396

Effect of early glucocorticoid treatment on MR and GR in late gestation ovine kidney. *Vicky Hantzis, Anthony Albiston, Duana Matsacos, E. Marelyn Wintour, Arianne Peers, Irene Koukoulas, Kathy Myles, Karen Moritz, and Miodrag Dodic* 405

Expression of mitogen-activated protein kinases in human renal dysplasia. *Sayu Omori, Ryuji Fukuzawa, Mariko Hida, and Midori Awazu* 899

Hereditary renal amyloidosis caused by a new variant lysozyme W64R in a French family. *Sophie Valleix, Séverine Drunat, Jean-Baptiste Philit, Daniel Adoue, Jean-Charles Piette, Dominique Droz, Brigitte Mac-Gregor, Denis Canet, Marc Delpech, and Gilles Grateau* 907

Caspases, Bcl-2 proteins and apoptosis in autosomal-dominant polycystic kidney disease. *Tevfik Ecder, Vyacheslav Y. Melnikov, Melinda Stanley, Didem Korular, M. Scott Lucia, Robert W. Schrier, and Charles L. Edelstein* 1220

KIDNEY INTERNATIONAL

Volume 61, June 2002

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Immunoglobulin light chain amyloidosis and the kidney. *Morie A. Gertz, Martha Q. Lacy, and Angela Dispenzieri* 1

Toward better dialysis compatibility: Advances in the biochemistry and pathophysiology of the peritoneal membranes. *Toshio Miyata, Olivier Devuyst, Kiyoshi Kurokawa, and Charles van Ypersele de Strihou* .. 375

Paradigm shift from classic anatomic theories to contemporary cell biological views of CAKUT. *Iekuni Ichikawa, Fumiyo Kuwayama, John C. Pope IV, F. Douglas Stephens, and Yoichi Miyazaki* 889

Is folate a promising agent in the prevention and treatment of cardiovascular disease in patients with renal failure? *An S. De Vriese, Francis Verbeke, Bieke F. Schrijvers, and Norbert H. Lameire* 1199

Methodological issues in studying the epidemiology of mild to moderate chronic renal insufficiency. *Chi-Yuan Hsu, Glenn M. Chertow, and Gary C. Curhan* 1567

Clinical and genetic epidemiology of inherited renal disease in Newfoundland. *Patrick S. Parfrey, William S. Davidson, and Jane S. Green* 1925

PERSPECTIVES IN BASIC SCIENCE

Toward an etiological classification of developmental disorders of the kidney and upper urinary tract. *Martin Pohl, Vibha Bhatnagar, Stanley A. Mendoza, and Sanjay K. Nigam* 10

Stem cells in the kidney. *Qais Al-Awqati and Juan A. Oliver* 387

Pharmacology of cyclooxygenase-2 inhibition in the kidney. *Kanwar Nasir M. Khan, Susan K. Paulson, Kenneth M. Verburg, James B. Lefkowith, and Timothy J. Maziasz* 1210

The T cell as a bridge between innate and adaptive immune systems: Implications for the kidney. *Hamid Rabb* 1935

GENETIC DISORDERS – DEVELOPMENT

L-arginine rescues decreased erythropoietin gene expression by stimulating GATA-2 with L-NMMA. *Shigehiko Imagawa, Takahisa Tarumoto, Norio Suzuki, Harumi Y. Mukai, Yuichi Hasegawa, Masato Higuchi, Tomohiro Neichi, Keiya Ozawa, Masayuki Yamamoto, and Toshiro Nagasawa* 396

Effect of early glucocorticoid treatment on MR and GR in late gestation ovine kidney. *Vicky Hantzis, Anthony Albiston, Duana Matsacos, E. Marelyn Wintour, Arianne Peers, Irene Koukoulas, Kathy Myles, Karen Moritz, and Miodrag Dodic* 405

Expression of mitogen-activated protein kinases in human renal dysplasia. *Sayu Omori, Ryuji Fukuzawa, Mariko Hida, and Midori Awazu* 899

Hereditary renal amyloidosis caused by a new variant lysozyme W64R in a French family. *Sophie Valleix, Séverine Drunat, Jean-Baptiste Philit, Daniel Adoue, Jean-Charles Piette, Dominique Droz, Brigitte Mac-Gregor, Denis Canet, Marc Delpech, and Gilles Grateau* 907

Caspases, Bcl-2 proteins and apoptosis in autosomal-dominant polycystic kidney disease. *Tevfik Ecder, Vyacheslav Y. Melnikov, Melinda Stanley, Didem Korular, M. Scott Lucia, Robert W. Schrier, and Charles L. Edelstein* 1220

Protein restriction in pregnancy is associated with increased apoptosis of mesenchymal cells at the start of rat metanephrogenesis. *Simon J.M. Welham, Angela Wade, and Adrian S. Woolf* 1231

Solitary functioning kidney and diverse genital tract malformations associated with hepatocyte nuclear factor-1β mutations. *Coralie Bingham, Sian Ellard, Trevor R.P Cole, Katrin E. Jones, Lisa I.S. Allen, Judith A. Goodship, Timothy H.J. Goodship, Daniela Bakalinova-Pugh, Gavin I. Russell, Adrian S. Woolf, Anthony J. Nicholls, and Andrew T. Hattersley* 1243

ERK and p38 MAP kinase are required for rat renal development. *Mariko Hida, Sayu Omori and Midori Awazu* 1252

Altered primate glomerular development due to in utero urinary tract obstruction. *Douglas G. Matsell, Amy Mok, and Alice F. Tarantal* 1263

Role of the α-adducin genotype on renal disease progression. *Jérôme Nicod, Brigitte M. Frey, Felix J. Frey, and Paolo Ferrari* 1270

Gene expression profile of renal proximal tubules regulated by proteinuria. *Hideaki Nakajima, Masaru Takenaka, Jun-Ya Kaimori, Yasuyuki Nagasawa, Atsushi Kosugi, Shouko Kawamoto, Enyu Imai, Masatsugu Hori, and Kousaku Okubo* 1577

A complete mutation screen of the ADPKD genes by DHPLC. *Sandro Rossetti, Dominique Chauveau, Denise Walker, Anand Saggar-Malik, Christopher G. Winearls, Vicente E. Torres, and Peter C. Harris* . . 1588

COL4A3/COL4A4 mutations: From familial hematuria to autosomal-dominant or recessive Alport syndrome. *Ilaria Longo, Paola Porcedda, Francesca Mari, Daniela Giachino, Ilaria Meloni, Carla Deplano, Alfredo Brusco, Maurizio Bosio, Laura Massella, Giancarlo Lavoratti, Dario Roccatello, Giovanni Frascá, Gianna Mazzucco, Andrea Onetti Muda, Maura Conti, Federica Fasciolo, Christelle Arrondel, Laurence Heidet, Alessandra Renieri, and Mario De Marchi* 1947

HORMONES – CYTOKINES – SIGNALING

Cytokine-induced expression of tPA is differentially modulated by NO and ROS in rat mesangial cells. *Wolfgang Eberhardt, Karl-Friedrich Beck, and Josef Pfeilschifter* 20

Attenuation of tubular apoptosis by blockade of the renin-angiotensin system in diabetic *Ren-2* rats. *Darren J. Kelly, Alison J. Cox, Mary Tolcos, Mark E. Cooper, Jennifer L. Wilkinson-Berka, and Richard E. Gilbert* 31

Mechanical stress reduces podocyte proliferation in vitro. *Arndt T. Petermann, Keiju Hiromura, Mary Blonski, Jeffrey Pippin, Toshi Monkawa, Raghu Durvasula, William G. Couser, and Stuart J. Shankland* 40

BMP-7 regulates chemokine, cytokine, and hemodynamic gene expression in proximal tubule cells. *Stephen E. Gould, Maria Day, Simon S. Jones, and Haimanti Dorai* (see Editorial by Kopp, p. 351) 51

Role of TGF-β1 in renal parenchymal scarring following childhood urinary tract infection. *Shirley A. Cotton, Rasheed A. Gbadegesin, Shelley Williams, Paul E.C. Brenchley, and Nicholas J.A. Webb* 61

Induction of $p27^{KIP1}$ after unilateral ureteral obstruction is independent of angiotensin II. *Jens H. Gerth, Jörg Kriegsmann, T. Tong Trinh, Rolf A.K. Stahl, Thoralf Wendt, Manfred Sommer, Günter Stein, and Gunter Wolf* 68

Signal transduction of β_2m-induced expression of VCAM-1 and COX-2 in synovial fibroblasts. *Neal X. Chen, Kalisha D. O'Neill, Toshimitsu Niwa, and Sharon M. Moe* 414

Renal segmental tubular response to salt during the normal menstrual cycle. *Antoinette Pechère-Bertschi, Marc Maillard, Hans Stalder, Hans R. Brunner, and Michel Burnier* 425

High glucose down-regulates angiotensin II binding via the PKC-MAPK-$cPLA_2$ signal cascade in renal proximal tubule cells. *Soo Hyun Park, Chang Hoon Woo, Jae Hong Kim, Jang Hern Lee, Il Suk Yang, Kwon Moo Park, and Ho Jae Han* 913

STAT3, but not ERKs, mediates the IL-6–induced proliferation of renal cancer cells, ACHN and 769P. *Akio Horiguchi, Mototsugu Oya, Ken Marumo, and Masaru Murai* 925

Adenosine-induced apoptosis in glomerular mesangial cells. *Zhihui Zhao, Toros Kapoian, Michelle Sheppard, and Elias A. Lianos* 1276

Nutrition in CAPD: Serum bicarbonate and the ubiquitin-proteasome system in muscle. *Warren P. Pickering, S. Russ Price, Gemma Bircher, Anne C. Marinovic, William E. Mitch, and John Walls*† 1286

15-Deoxy-$\Delta^{12,14}$-prostaglandin J_2 regulates mesangial cell proliferation and death. *Brad H. Rovin, William A. Wilmer, Ling Lu, Andrea I. Doseff, Cynthia Dixon, Mark Kotur, and Todd Hilbelink* 1293

High protein-induced glomerular hypertrophy is vascular endothelial growth factor-dependent. *Bieke F. Schrijvers, Ruth Rasch, Ronald G. Tilton, and Allan Flyvbjerg* 1600

Angiotensin II activation of the JAK/STAT pathway in mesangial cells is altered by high glucose. *Farhad Amiri, Seán Shaw, Xiaodan Wang, Jie Tang, Jennifer L. Waller, Douglas C. Eaton, and Mario B. Marrero* 1605

ATP release in human kidney cortex and its mitogenic effects in visceral glomerular epithelial cells. *Oliver Vonend, Vitus Oberhauser, Ivar von Kügelgen, Thomas W. Apel, Kerstin Amann, Eberhard Ritz, and Lars Christian Rump* 1617

Mechanisms of the regulation of EGF receptor gene expression by calcitriol and parathyroid hormone in UMR 106-01 cells. *Esther A. González, Sinee Disthabanchong, Rodney Kowalewski, and Kevin J. Martin* 1627

Effect of combining ACE inhibitor and statin in severe experimental nephropathy. *Carla Zoja, Daniela Corna, Daniela Rottoli, Dario Cattaneo, Cristina Zanchi, Susanna Tomasoni, Mauro Abbate, and Giuseppe Remuzzi* 1635

15-Deoxy-$\Delta^{12,14}$-prostaglandin J_2 inhibits IL-1β–induced cyclooxygenase-2 expression in mesangial cells. *Hirotaka Sawano, Masakazu Haneda, Toshiro Sugimoto, Ken Inoki, Daisuke Koya, and Ryuichi Kikkawa* 1957

Role of membrane-bound heparin-binding epidermal growth factor-like growth factor (HB-EGF) in renal epithelial cell branching. *Tsukasa Takemura, Satoshi Hino, Mituru Okada, Yuka Murata, Hidehiko Yanagida, Masaru Ikeda, Kazuo Yoshioka, and Raymond C. Harris* 1968

Renal tubular damage detected by dynamic micro-MRI with a dendrimer-based magnetic resonance contrast agent. *Hisataka Kobayashi, Satomi Kawamoto, Sang-Kyung Jo, Noriko Sato, Tsuneo Saga, Akira Hiraga, Junji Konishi, Susan Hu, Kaori Togashi, Martin W. Brechbiel, and Robert A. Star* 1980

Angiotensin II activates nuclear transcription factor-κB through AT_1 and AT_2 receptors. *Gunter Wolf, Ulrich Wenzel, Kevin D. Burns, Raymond C. Harris, Rolf A.K. Stahl, and Friedrich Thaiss* (see Editorial by Luft, p. 2272) 1986

Potentiation of $[Ca^{2+}]_i$ response to angiotensin III by cAMP in cortical thick ascending limb. *Annette Hus-Citharel, Jeannine Marchetti, Pierre Corvol, and Catherine Llorens-Cortes* 1996

Role of oxidative stress in advanced glycation end product-induced mesangial cell activation. *Mark A. Lal, Hjalmar Brismar, Ann-Christine Eklöf, and Anita Aperia* 2006

Inhibition of mesangial iNOS by reduced extracellular pH is associated with uncoupling of NADPH oxidation. *Sharma S. Prabhakar* 2015

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Renal histology in ANCA-associated vasculitis: Differences between diagnostic and serologic subgroups. *Herbert A. Hauer, Ingeborg M. Bajema, Hans C. van Houwelingen, Franco Ferrario, Laure-Hélène Noël, Rüdiger Waldherr, David R.W. Jayne, Niels Rasmussen, Jan A. Bruijn, and E. Christiaan Hagen, on behalf of the European Vasculitis Study Group (EUVAS)* 80

Activated intrarenal transcription of CTL-effectors and TGF-β1 in children with focal segmental glomerulosclerosis. *Juergen Strehlau, Asher D. Schachter, Martha Pavlakis, Anup Singh, Amir Tejani, and Terry B. Strom* 90

Protective effects of a soy diet in preventing obesity-linked renal disease. *David A. Maddox, Fred K. Alavi, Elizabeth M. Silbernick, and Edward T. Zawada, Jr.* 96

† Deceased.

Oxalate ions and calcium oxalate crystals stimulate MCP-1 expression by renal epithelial cells. *Tohru Umekawa, Nasser Chegini, and Saeed R. Khan* 105

Response of mesangial cells to low-density lipoprotein and angiotensin II in diabetic (OLETF) rats. *Mitsuru Okada, Tsukasa Takemura, Hidehiko Yanagida, and Kazuo Yoshioka* 113

Laser microdissection and gene expression analysis on formaldehyde-fixed archival tissue. *Clemens D. Cohen, Hermann-Josef Gröne, Elisabeth F. Gröne, Peter J. Nelson, Detlef Schlöndorff, and Matthias Kretzler* 125

Quantitative gene expression analysis in renal biopsies: A novel protocol for a high-throughput multicenter application. *Clemens D. Cohen, Karin Frach, Detlef Schlöndorff, and Matthias Kretzler* 133

Patterns of nephrin and a new proteinuria-associated protein expression in human renal diseases. *Shi-Xuan Wang, Maria P. Rastaldi, Anu Pätäri, Heikki Ahola, Eija Heikkilä, and Harry Holthöfer* 141

AGEs bind to mesothelial cells via RAGE and stimulate VCAM-1 expression. *Eric Boulanger, Marie-Paule Wautier, Jean-Luc Wautier, Bernadette Boval, Yves Panis, Nicolas Wernert, Pierre-Marie Danze, and Philippe Dequiedt* 148

Impairment of vascular regeneration precedes progressive glomerulosclerosis in anti-Thy 1 glomerulonephritis. *Yoko Wada, Tetsuo Morioka, Yukiko Oyanagi-Tanaka, Jian Yao, Yasuhito Suzuki, Fumitake Gejyo, Masaaki Arakawa, and Takashi Oite* 432

Human renal epithelial cells express iNOS in response to cytokines but not bacteria. *Mirjana Poljakovic, Diana Karpman, Catharina Svanborg, and Katarina Persson* 444

C5a delays apoptosis of human neutrophils by a phosphatidylinositol 3-kinase-signaling pathway. *Mary C. Perianayagam, V.S. Balakrishnan, Andrew J. King, Brian J.G. Pereira, and Bertrand L. Jaber* 456

Metallothionein isoform 3 and proximal tubule vectorial active transport. *Doyeob Kim, Scott H. Garrett, Mary Ann Sens, Seema Somji, and Donald A. Sens* 464

Addition of AT_1 blocker fails to overcome resistance to ACE inhibition in adriamycin nephrosis. *Hendrik Bos, Robert H. Henning, Eric de Boer, Anton T.M.G. Tiebosch, Paul E. de Jong, Dick de Zeeuw, and Gerjan Navis* 473

Fibronectin accumulation in glomerulosclerotic lesions: Self-assembly sites and the heparin II binding domain. *Anita I. van Vliet, Isolde E. van Alderwegen, Hans J. Baelde, Emile de Heer, and Jan A. Bruijn* 481

Effects of human soluble thrombomodulin on experimental glomerulonephritis. *Hiroshi Ikeguchi, Shoichi Maruyama, Yoshiki Morita, Yutaka Fujita, Tomomi Kato, Yasuhiro Natori, Hiroyasu Akatsu, William Campbell, Noriko Okada, Hidechika Okada, Yukio Yuzawa, and Seiichi Matsuo* 490

TNF-α–accelerated apoptosis abrogates ANCA-mediated neutrophil respiratory burst by a caspase-dependent mechanism. *Ralph Kettritz, Julia Scheumann, YaXin Xu, Friedrich C. Luft, and Hermann Haller* (see Editorial by Kallenberg, p. 758) 502

Selectins mediate macrophage infiltration in obstructive nephropathy in newborn mice. *Bärbel Lange-Sperandio, Francois Cachat, Barbara A. Thornhill, and Robert L. Chevalier* (see Editorial by Kipari and Hughes, p. 760) 516

Effects of oxalate on the re-initiation of DNA synthesis in LLC-PK1 cells do not involve p42/44 MAP kinase activation. *Sweaty Koul, Lakshmi S. Chaturvedi, Avtar Sekhon, Akshay Bhandari, Mani Menon, and Hari K. Koul* 525

Indomethacin protects permeability barrier from focal segmental glomerulosclerosis serum. *Ellen T. McCarthy and Mukut Sharma* 534

Pyridoxamine inhibits early renal disease and dyslipidemia in the streptozotocin-diabetic rat. *Thorsten P. Degenhardt, Nathan L. Alderson, David D. Arrington, Robert J. Beattie, John M. Basgen, Michael W. Steffes, Suzanne R. Thorpe, and John W. Baynes* 939

Angiotensin II type 1 receptor blockade ameliorates tubulointerstitial injury induced by chronic potassium deficiency. *Shin-ichi Suga, Marilda Mazzali, Patricio E. Ray, Duk-Hee Kang, and Richard J. Johnson* . . 951

Meprin, a brush-border enzyme, plays an important role in hypoxic/ischemic acute renal tubular injury in rats. *Simone Carmago, Sudhir V. Shah, and Patrick D. Walker* (see Editorial by Baricos, p. 1174) . . . 959

Transfection of tubule cells with Fas ligand causes leukocyte apoptosis. *Yiping Wang, Shounan Yi, Yuet-Ching Tay, Ximin Feng, Yang Wang, Lukas Kairaitis, and David C.H. Harris* 1303

Insulin is a potent survival factor in mesangial cells: Role of the PI3-kinase/Akt pathway. *Keiju Hiromura, Toshiaki Monkawa, Arndt T. Petermann, Raghu V. Durvasula, and Stuart J. Shankland* 1312

Treatment of a murine model of high-turnover renal osteodystrophy by exogenous BMP-7. *Esther A. González, Richard J. Lund, Kevin J. Martin, John E. McCartney, M. Mehrdad Tondravi, T. Kuber Sampath, and Keith A. Hruska* 1322

Hyperplasia of the parathyroid gland without secondary hyperparathyroidism. *Fumiaki Takahashi, Masashi Denda, Jane L. Finch, Alex J. Brown, and Eduardo Slatopolsky* 1332

FK506 ameliorates proteinuria and glomerular lesions induced by anti-Thy 1.1 monoclonal antibody 1-22-3. *Yohei Ikezumi, Katsue Kanno, Hiroko Koike, Masayuki Tomita, Makoto Uchiyama, Fujio Shimizu, and Hiroshi Kawachi* 1339

NHE3 and NHERF are targeted to the basolateral membrane in proximal tubules of colchicine-treated rats. *Ivan Sabolić, Carol Mirna Herak-Kramberger, Marija Ljubojević, Daniel Biemesderfer, and Dennis Brown* 1351

Troglitazone suppresses the secretion of type I collagen by mesangial cells in vitro. *Robert Earl Routh, John Hardwick Johnson, and Kevin John McCarthy* 1365

STAT1 and STAT3 mediate thrombin-induced expression of TIMP-1 in human glomerular mesangial cells. *Xiangmei Chen, Wenhu Liu, Jianzhong Wang, Xiaodan Wang, and Zhiheng Yu* 1377

Protective effect of insulin on ischemic renal injury in diabetes mellitus. *Jan Melin, Olof Hellberg, Erik Larsson, Lilian Zezina, and Bengt C. Fellström* 1383

Monitoring changes in gene expression in renal ischemia-reperfusion in the rat. *Takumi Yoshida, Manjula Kurella, Francisca Beato, Hyunsuk Min, Julie R. Ingelfinger, Robin L. Stears, Rita D. Swinford, Steven R. Gullans, and Shiow-Shih Tang* 1646

Transferrin up-regulates chemokine synthesis by human proximal tubular epithelial cells: Implication on mechanism of tubuloglomerular communication in glomerulopathic proteinura. *Sydney Tang, Joseph C.K. Leung, Anita W.L. Tsang, Hui Yao Lan, Tak Mao Chan, and Kar Neng Lai* 1655

Human antiglomerular basement membrane autoantibody disease in XenoMouse II. *Kevin E.C. Meyers, Juanita Allen, Jeffrey Gehret, Aya Jacobovits, Michael Gallo, Eric G. Neilson, Helmut Hopfer, Raghu Kalluri, and Michael P. Madaio* (see Editorial by Borza and Hudson, p. 1905) 1666

Altered cholesterol localization and caveolin expression during the evolution of acute renal failure. *Richard A. Zager, Ali Johnson, Sherry Hanson, and Vivian dela Rosa* 1674

Y-27632 prevents tubulointerstitial fibrosis in mouse kidneys with unilateral ureteral obstruction. *Katsuyuki Nagatoya, Toshiki Moriyama, Noritaka Kawada, Masanobu Takeji, Susumu Oseto, Takahiro Murozono, Akio Ando, Enyu Imai, and Masatsugu Hori* 1684

Renal ischemia-reperfusion increases endothelial VEGFR-2 without increasing VEGF or VEGFR-1 expression. *John Kanellis, Kathy Paizis, Alison J. Cox, Steven A. Stacker, Richard E. Gilbert, Mark E. Cooper, and David A. Power* 1696

Nitric oxide increases adrenomedullin receptor function in rat mesangial cells. *Jörg Dötsch, Ellen Schoof, Harald O. Schöcklmann, Bernhard Brüne, Ina Knerr, Reinald Repp, and Wolfgang Rascher* 1707

Role of basic fibroblast growth factor-2 in epithelial-mesenchymal transformation. *Frank Strutz, Michael Zeisberg, Fuad N. Ziyadeh, Chang-Qing Yang, Raghu Kalluri, Gerhard A. Müller, and Eric G. Neilson, with the technical assistance of A. Renziehausen and Z. Sisic* 1714

Hyaluronan increases glomerular cyclooxygenase-2 protein expression in a p38 MAP-kinase–dependent process. *Marjorie E. Dunlop and Evelyne E. Muggli* 1729

Inhibiting albumin glycation in vivo ameliorates glomerular overexpression of TGF-β1. *Margo P. Cohen, Fuad N. Ziyadeh, Soon Won Hong, Clyde W. Shearman, Elizabeth Hud, Gregory T. Lautenslager, M. Carmen Iglesias-de la Cruz, and Sheldon Chen* 2025

Recovery from release of ureteral obstruction in the rat: Relationship to nephrogenesis. *Robert L. Chevalier, Barbara A. Thornhill, Alice Y. Chang, François Cachat, and Adam Lackey* 2033

Fractalkine expression and the recruitment of CX_3CR1^+ cells in the prolonged mesangial proliferative glomerulonephritis. *Yumi Ito, Hiroshi Kawachi, Yoshio Morioka, Takeshi Nakatsue, Hiroko Koike, Yohei Ikezumi, Akihisa Oyanagi, Yasuhiro Natori, Yumiko Natori, Takamichi Nakamura, Fumitake Gejyo, and Fujio Shimizu* 2044

An increase in the cell component of the cortical interstitium antedates interstitial fibrosis in type 1 diabetic patients. *Avi Katz, Maria Luiza A. Caramori, Susan Sisson-Ross, Thomas Groppoli, John M. Basgen, and Michael Mauer* (see Editorial by Fogo, p. 2274) 2058

Proximal tubular cells promote fibrogenesis by TGF-β1–mediated induction of peritubular myofibroblasts. *Mauro Abbate, Carla Zoja, Daniela Rottoli, Daniela Corna, Susanna Tomasoni, and Giuseppe Remuzzi* 2066

Angiopoietin correlates with glomerular capillary loss in anti-glomerular basement membrane glomerulonephritis. *Hai Tao Yuan, Peter G. Tipping, Xiao Zhong Li, David A. Long, and Adrian S. Woolf* 2078

Cigarette smoke condensate aggravates renal injury in the renal ablation model. *Giulio Odoni, Hiroaki Ogata, Christiane Viedt, Kerstin Amann, Eberhard Ritz, and Stephan R. Orth* 2090

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Down-regulation of lipoprotein lipase and VLDL receptor in rats with focal glomerulosclerosis. *Tadashi Sato, Kaihui Liang, and Nosratola D. Vaziri* 157

Effects of reduction of renal mass on renal oxygen tension and erythropoietin production in the rat. *Anumeet Priyadarshi, Sankaridrug Periyasamy, Thomas J. Burke, Steven L. Britton, Deepak Malhotra, and Joseph I. Shapiro* 542

Nephron specific regulation of chloride channel CLC-K2 mRNA in the rat. *Helga Vitzthum, Hayo Castrop, Martina Meier-Meitinger, Günter A.J. Riegger, Armin Kurtz, Bernhard K. Krämer, and Konrad Wolf* ... 547

The γ-Na^+,K^+-ATPase subunit assembles selectively with α_1/β_1-Na^+,K^+-ATPase but not with the colonic H^+,K^+-ATPase. *Juan Codina, Jian Li, Yan Hong, and Thomas D. DuBose, Jr.* 967

Calcium oxalate stone formation in genetic hypercalciuric stone-forming rats. *David A. Bushinsky, John R. Asplin, Marc D. Grynpas, Andrew P. Evan, Walter R. Parker, Kristen M. Alexander, and Fredric L. Coe* 975

Studies on the pathophysiology of the low urine pH in patients with uric acid stones. *Kamel S. Kamel, Surinder Cheema-Dhadli, and Mitchell L. Halperin* 988

Down-regulation of urea transporters in the renal inner medulla of lithium-fed rats. *Janet D. Klein, Robert B. Gunn, Brian R. Roberts, and Jeff M. Sands* 995

Cl^- channels in basolateral TAL membranes. XVI. MTAL and CTAL cells each contain the mRNAs encoding mmCIC-Ka and CIC-Ka. *Marina V. Mikhailova, Christopher J. Winters, and Thomas E. Andreoli* 1003

Tubular and cellular localization of the cardiac L-type calcium channel in rat kidney. *Pei-lin Zhao, Xi-Tao Wang, Xue-Mei Zhang, Valeriu Cebotaru, Liudmila Cebotaru, Gang Guo, Marcelo Morales, and Sandra E. Guggino* 1393

Sorbitol transport in rat renal inner medullary interstitial cells. *Jan B. Schüttert, G. Martin Fiedler, Clemens Grupp, Sabine Blaschke, and R. Willi Grunewald* 1407

Putative subunits of the rat mesangial K_{ATP}: A type 2B sulfonylurea receptor and an inwardly rectifying K^+ channel. *Balázs Szamosfalvi, Pedro Cortes, Rebecca Alviani, Kenichiro Asano, Bruce L. Riser, Gary Zasuwa, and Jerry Yee* 1739

Chronic taurine treatment ameliorates reduction in saline-induced diuresis and natriuresis. *Mahmood S. Mozaffari and Stephen W. Schaffer* 1750

Major role of organic anion transporter 3 in the transport of indoxyl sulfate in the kidney. *Tsuneo Deguchi, Sumio Ohtsuki, Masaki Otagiri, Hitomi Takanaga, Hiroshi Asaba, Shinobu Mori, and Tetsuya Terasaki* 1760

Up-regulation of acyl-coenzyme A:cholesterol acyltransferase (ACAT) in nephrotic syndrome. *Nosratola D. Vaziri and Kaihui Liang* 1769

Dysregulation of renal salt and water transport proteins in diabetic Zucker rats. *Crystal A. Bickel, Mark A. Knepper, Joseph G. Verbalis, and Carolyn A. Ecelbarger* 2099

Carbonic anhydrase XIV: Luminal expression suggests key role in renal acidification. *Kari Kaunisto, Seppo Parkkila, Hannu Rajaniemi, Abdul Waheed, Jeffrey Grubb, and William S. Sly* 2111

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Diurnal variations of glomerular filtration rate and albuminuria in diabetic nephropathy. *Henrik P. Hansen, Peter Hovind, Berit R. Jensen, and Hans-Henrik Parving* 163

Possible role of adenosine in macula densa control of glomerular hemodynamics. *YiLin Ren, Shuji Arima, Oscar A. Carretero, and Sadayoshi Ito* 169

Effects of connexin-mimetic peptides on nitric oxide synthase- and cyclooxygenase-independent renal vasodilation. *An S. De Vriese, Johan Van de Voorde, and Norbert H. Lameire* 177

Oxidative stress and nitric oxide synthase in rat diabetic nephropathy: Effects of ACEI and ARB. *Maristela Lika Onozato, Akihiro Tojo, Atsuo Goto, Toshiro Fujita, and Christopher S. Wilcox* 186

Effects of antihypertensive therapy on intrarenal angiotensin and bradykinin levels in experimental renal insufficiency. *Fiona E. Mackie, Timothy W. Meyer, and Duncan J. Campbell* 555

Cerebral blood flow and vasodilatory capacity in anemia secondary to chronic renal failure. *Yasuo Kuwabara, Masayuki Sasaki, Hideki Hirakata, Hirofumi Koga, Makoto Nakagawa, Tao Chen, Koichiro Kaneko, Kouji Masuda, and Masatoshi Fujishima* 564

Vascular endothelial growth factor production and regulation in human peritoneal mesothelial cells. *Sonja Mandl-Weber, Clemens D. Cohen, Bettina Haslinger, Matthias Kretzler and Thomas Sitter* 570

Urinary excretion of angiotensinogen reflects intrarenal angiotensinogen production. *Hiroyuki Kobori, Lisa M. Harrison-Bernard, and L. Gabriel Navar* 579

Endothelial dysfunction and hypertension in 5/6 nephrectomized rats are mediated by vascular superoxide. *Galit Hasdan, Sydney Benchetrit, Gloria Rashid, Janice Green, Jacques Bernheim, and Mauro Rathaus* 586

Cortical thickness: An early morphological marker of atherosclerotic renal disease. *Claire Mounier-Vehier, Christophe Lions, Patrick Devos, Olivier Jaboureck, Serge Willoteaux, Alain Carre, and Jean-Paul Beregi* 591

Glucose-induced oxidative stress in mesangial cells. *Mark A. Catherwood, Lesley A. Powell, Paul Anderson, Dorothy McMaster, Peter C. Sharpe, and Elisabeth R. Trimble* 599

Increased expression of TGF-β1 and IGF-I in inflammatory stenotic lesions of hemodialysis fistulas. *Sylvia Stracke, Klaus Konner, Isabella Köstlin, Reinhard Friedl, Peter M. Jehle, Vinzenz Hombach, Frieder Keller, and Johannes Waltenberger* 1011

Angiotensin II infusion ameliorates the early phase of a mesangioproliferative glomerulonephritis. *Ulrich O. Wenzel, Friedrich Thaiss, Udo Helmchen, Rolf A.K. Stahl, and Gunter Wolf* (see Editorial by de Zeeuw, p. 1176) 1020

Association of the tissue kallikrein gene promoter with ESRD and hypertension. *Hongrun Yu, Qing Song, Barry I. Freedman, Julie Chao, Lee Chao, Stephen S. Rich, and Donald W. Bowden* 1030

Betaine supplementation decreases post-methionine hyperhomocysteinemia in chronic renal failure. *David O. McGregor, Warwick J. Dellow, Richard A. Robson, Michael Lever, Peter M. George, and Stephen T. Chambers* 1040

Predictors of antihypertensive response to a standard dose of hydrochlorothiazide for essential hypertension. *Arlene B. Chapman, Gary L. Schwartz, Eric Boerwinkle, and Stephen T. Turner* 1047

Enhanced renal cortical vascularization in experimental hypercholesterolemia. *Michael D. Bentley, Martin Rodriguez-Porcel, Amir Lerman, Mirit Hershman Sarafov, J. Carlos Romero, Laura I. Pelaez, Joseph P. Grande, Erik L. Ritman, and Lilach O. Lerman* 1056

Propionyl-L-carnitine prevents renal function deterioration due to ischemia/reperfusion. *Marilena Mister, Marina Noris, Jaroslaw Szymczuk, Nadia Azzollini, Sistiana Aiello, Mauro Abbate, Lech Trochimowicz, Elena Gagliardini, Arduino Arduini, Norberto Perico, and Giuseppe Remuzzi* 1064

Human uremic plasma increases microvascular permeability to water and proteins in vivo. *Steven J. Harper, Charles R.V. Tomson, and David O. Bates* 1416

L-Arginine deficiency and supplementation in experimental acute renal failure and in human kidney transplantation. *Lothar Schramm, Mylinh La, Ekkehart Heidbreder, Markus Hecker, Joe S. Beckman, Kai Lopau, Josef Zimmermann, Johann Rendl, Christoph Reiners, Sabine Winderl, Christoph Wanner, and Harald H.H.W. Schmidt* 1423

Long-term caffeine consumption exacerbates renal failure in obese, diabetic, ZSF1 (fa-fa^{cp}) rats. *Stevan P. Tofovic, Curtis K. Kost, Jr., Edwin K. Jackson, and Sheldon I. Bastacky* 1433

Microalbuminuria in hypertension is not a determinant of insulin resistance. *Ingrid Toft, Kaare H. Bønaa, Jorunn Eikrem, Åse Lund Bendiksen, Hege Iversen, and Trond Jenssen* 1445

Proteinuria is preceded by decreased nitric oxide synthesis and prevented by a NO donor in cholesterol-fed rats. *Diana M. Attia, Zhenmin N. Ni, Peter Boer, Mahmoud A. Attia, Roel Goldschmeding, Hein A. Koomans, Nosratola D. Vaziri, and Jaap A. Joles* 1776

Renal hemodynamic effects of somatostatin are not related to inhibition of endogenous insulin release. *Alice Schmidt, Johannes Pleiner, Georg Schaller, Michael Roden, Susanne Dallinger, Gert Mayer, Leopold Schmetterer, and Michael Wolzt* 1788

Increased genetic susceptibility to renal damage in the stroke-prone spontaneously hypertensive rat. *Paul C. Churchill, Monique C. Churchill, Karen A. Griffin, Maria Picken, Robert Clinton Webb, Theodore W. Kurtz, and Anil K. Bidani* 1794

Chronic anti-Thy-1 nephritis is aggravated in the nonclipped but not in the clipped kidney of Goldblatt hypertensive rats. *Ulrich O. Wenzel, Gunter Wolf, Ivonne Jacob, Friedrich Thaiss, Udo Helmchen, and Rolf A.K. Stahl* 2119

Store-operated Ca^{2+} entry is exaggerated in fresh preglomerular vascular smooth muscle cells of SHR. *Susan K. Fellner and William J. Arendshorst* 2132

Microangiopathic injury and augmented PAI-1 in human diabetic nephropathy. *Paisit Paueksakon, Monica P. Revelo, Li-Jun Ma, Carmelita Marcantoni, and Agnes B. Fogo* 2142

Activity and functional significance of the renal kallikrein-kinin-system in polycystic kidney disease of the rat. *Claude Braun, Thomas Kleemann, Ulrich Hilgenfeldt, Udo Riester, Peter Rohmeiss, and Fokko J. van der Woude* 2149

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Predictors of proteinuria and renal failure among women with HIV infection. *Lynda Anne Szczech, Stephen J. Gange, Charles van der Horst, John A. Bartlett, Mary Young, Mardge H. Cohen, Kathryn Anastos, Preston S. Klassen, and Laura P. Svetkey* 195

Higher urinary IgM excretion in type 2 diabetic nephropathy compared to type 1 diabetic nephropathy. *Omran Bakoush, Jan Tencer, Juan Tapia, Bengt Rippe, and Ole Torffvit* 203

Lipoprotein particle abnormalities and the impaired lipolysis in renal insufficiency. *Diana M. Lee, Carolyn Knight-Gibson, Ola Samuelsson, Per-Ola Attman, Chi-Sun Wang, and Petar Alaupovic* 209

Conservative versus immunosuppressive treatment of patients with idiopathic membranous nephropathy. *Alvaro Torres, Beatriz Domínguez-Gil, Agustín Carreño, Eduardo Hernández, Enrique Morales, Julian Segura, Ester González, and Manuel Praga* (see Editorial by Cattran, p. 349) 219

Hyperhomocysteinemia predicts cardiovascular outcomes in hemodialysis patients. *Francesca Mallamaci, Carmine Zoccali, Giovanni Tripepi, Isabella Fermo, Francesco A. Benedetto, Alessandro Cataliotti, Ignazio Bellanuova, Lorenzo Salvatore Malatino, and Armando Soldarini, on behalf of the CREED Investigators* 609

Relevance of C-reactive protein levels in peritoneal dialysis patients. *Adrian Fine* 615

Mortality and causes of death of end-stage renal disease in children: A Dutch cohort study. *Jaap W. Groothoff, Mariken P. Gruppen, Martin Offringa, Jeroen Hutten, Marc R. Lilien, Nicole J. van de Kar, Eric D. Wolff, Jean Claude Davin, and Hugo S.A. Heymans* 621

Hypoalbuminemia and risk of death in pediatric patients with end-stage renal disease. *Craig S. Wong, Sangeeta Hingorani, Daniel L. Gillen, Donald J. Sherrard, Sandra L. Watkins, John R. Brandt, Adrianne Ball, and Catherine O. Stehman-Breen* 630

Medial artery calcification in ESRD patients is associated with deposition of bone matrix proteins. *Sharon M. Moe, Kalisha D. O'neill, Danxia Duan, Sadiq Ahmed, Neal X. Chen, Stephen B. Leapman, Naomi Fineberg, and Kenyon Kopecky* 638

Cigarette smoking and vascular pathology in renal biopsies. *Karl Lhotta, Hans J. Rumpelt, Paul König, Gert Mayer, and Florian Kronenberg* 648

Polymorphism of the cytokine genes and IgA nephropathy. *Jaana Syrjänen, Mikko Hurme, Terho Lehtimäki, Jukka Mustonen, and Amos Pasternack* 1079

Effects of aggressive blood pressure control in normotensive type 2 diabetic patients on albuminuria, retinopathy and strokes. *Robert W. Schrier, Raymond O. Estacio, Anne Esler, and Philip Mehler* 1086

Mycophenolate mofetil treatment for primary glomerular diseases. *Michael J. Choi, Joseph A. Eustace, Luis F. Gimenez, Mohamed G. Atta, Paul J. Scheel, Renuka Sothinathan, and William A. Briggs* 1098

Cystatin C is a more sensitive marker than creatinine for the estimation of GFR in type 2 diabetic patients. *Michele Mussap, Michele Dalla Vestra, Paola Fioretto, Alois Saller, Mariacristina Varagnolo, Romano Nosadini, and Mario Plebani* 1453

Effects of enalapril and eprosartan on the renal vascular nitric oxide system in human essential hypertension. *Christian Delles, Johannes Jacobi, Stefan John, Ingrid Fleischmann, and Roland E. Schmieder* (see Editorial by Noris and Remuzzi, p. 1545) 1462

A placebo-controlled trial examining atorvastatin in dyslipidemic patients undergoing CAPD. *Kevin P.G. Harris, David C. Wheeler, Camilla C. Chong, and the Atorvastatin in CAPD Study Investigators* 1469

Podocytopenia and disease severity in IgA nephropathy. *Kevin V. Lemley, Richard A. Lafayette, Massy Safai, Geraldine Derby, Kristina Blouch, Addy Squarer, and Bryan D. Myers* 1475

Moderate renal insufficiency and the risk of cardiovascular mortality: Results from the NHANES I. *Amit X. Garg, William F. Clark, R. Brian Haynes, and Andrew A. House* 1486

Cyclophosphamide pharmacokinetics and dose requirements in patients with renal insufficiency. *Marion Haubitz, Frank Bohnenstengel, Reinhard Brunkhorst, Matthias Schwab, Ute Hofmann, and Dagmar Busse* 1495

Renal flares in 91 SLE patients with diffuse proliferative glomerulonephritis. *Marta Mosca, Walter Bencivelli, Rossella Neri, Antonio Pasquariello, Valentina Batini, Rodolfo Puccini, Antonio Tavoni, and Stefano Bombardieri* 1502

HLA class I and II in black children with hepatitis B virus-associated membranous nephropathy. *Rajendra Bhimma, Mike G. Hammond, Hoosen M. Coovadia, Mirriam Adhikari, and Catherine A. Connolly* 1510

Risk factors for cyclosporine-induced tubulointerstitial lesions in children with minimal change nephrotic syndrome. *Kazumoto Iijima, Kiyoshi Hamahira, Ryojiro Tanaka, Akiko Kobayashi, Kandai Nozu, Hajime Nakamura, and Norishige Yoshikawa* 1801

Kidney cancer in the Swedish Family Cancer Database: Familial risks and second primary malignancies. *Kamila Czene and Kari Hemminki* 1806

Bone mineral density is not diminished by mild to moderate chronic renal insufficiency. *Chi-yuan Hsu, Steven R. Cummings, Charles E. McCulloch, and Glenn M. Chertow* 1814

Reduced crystallization inhibition by urine from women with nephrolithiasis. *John R. Asplin, Joan H. Parks, Yashushi Nakagawa, and Fredric L. Coe* 1821

Sodium ferric gluconate complex in hemodialysis patients: Adverse reactions compared to placebo and iron dextran. *Beckie Michael, Daniel W. Coyne, Steven Fishbane, Vaughn Folkert, Robert Lynn, Allen R. Nissenson, Rajiv Agarwal, Joseph W. Eschbach, Stephen Z. Fadem, Richard Trout, Jur Strobos, and David G. Warnock, for the Ferrlecit® Publication Committee* 1830

Renal aplasia is the predominant cause of congenital solitary kidneys. *Masahiro Hiraoka, Hirokazu Tsukahara, Yuusei Ohshima, Kenkou Kasuga, Yoshinori Ishihara, and Mitsufumi Mayumi* 1840

AM3 (Inmunoferón®) as an adjuvant to hepatitis B vaccination in hemodialysis patients. *Rafael Pérez-García, Alfonso Pérez-García, Dierik Verbeelen, Erica D. Bernstein, Vicente G. Villarrubia, and Melchor Álvarez-Mon* 1845

Role of uteroglobin G38A polymorphism in the progression of IgA nephropathy in Japanese patients. *Ichiei Narita, Noriko Saito, Shin Goto, Song Jin, Kentaro Omori, Minoru Sakatsume, and Fumitake Gejyo* 1853

Calcium channel blocker use and mortality among patients with end-stage renal disease. *Bryan Kestenbaum, Daniel L. Gillen, Donald J. Sherrard, Steven Seliger, Adrianne Ball, and Catherine Stehman-Breen* 2157

Albuminuria and renal insufficiency prevalence guides population screening: Results from the NHANES III. *Amit X. Garg, Bryce A. Kiberd, William F. Clark, R. Brian Haynes, and Catherine M. Clase* 2165

Outcome of relapse in lupus nephritis: Roles of reversal of renal fibrosis and response of inflammation to therapy. *Gary S. Hill, Michel Delahousse, Dominique Nochy, Éric Thervet, François Vrtovsnik, Philippe Rémy, Denis Glotz, and Jean Bariéty* 2176

Advanced atherosclerosis in predialysis patients with chronic renal failure. *Tetsuo Shoji, Masanori Emoto, Tsutomu Tabata, Eiji Kimoto, Kayo Shinohara, Kiyoshi Maekawa, Takahiko Kawagishi, Hideki Tahara, Eiji Ishimura, and Yoshiki Nishizawa* 2187

Opportunities to improve the care of patients with kidney transplant failure. *John S. Gill, Rekha Abichandani, Samina Khan, Annamaria T. Kausz, and Brian J.G. Pereira* 2193

Prevalence of renal cell carcinoma in patients with ESRD pre-transplantation: A pathologic analysis. *Mark D. Denton, Colm C. Magee, Cyril Ovuworie, Shamila Mauiyyedi, Manuel Pascual, Robert B. Colvin, A. Benedict Cosimi, and Nina Tolkoff-Rubin* 2201

Calciphylaxis is usually non-ulcerating: Risk factors, outcome and therapy. *Adrian Fine and James Zacharias* 2210

DIALYSIS–TRANSPLANTATION

Role of short-term regulatory mechanisms on pressure response to hemodialysis-induced hypovolemia. *Silvio Cavalcanti, Silvia Cavani, and Antonio Santoro* 228

Quality of life in peritoneal dialysis patients: Decline over time and association with clinical outcomes. *Anne B. Bakewell, Rob M. Higgins, and Mair E. Edmunds* 239

Patients with Fabry disease on dialysis in the United States. *Ravi Thadhani, Myles Wolf, Michael L. West, Marcello Tonelli, Robin Ruthazer, Gregory M. Pastores, and Gregorio T. Obrador* 249

Identical decline of residual renal function in high-flux biocompatible hemodialysis and CAPD. *Will McKane, Shahid M. Chandna, James E. Tattersall, Roger N. Greenwood, and Ken Farrington* 256

Relationship between volume status and blood pressure during chronic hemodialysis. *John K. Leypoldt, Alfred K. Cheung, James A. Delmez, Jennifer J. Gassman, Nathan W. Levin, Julia A. Breyer Lewis, James L. Lewis, Michael V. Rocco, and the HEMO Study Group* 266

Dialysate calcium profiling during hemodialysis: Use and clinical implications. *John Kyriazis, John Glotsos, Leonidas Bilirakis, Nikos Smirnioudis, Maria Tripolitou, Fotios Georgiakodis, and Irene Grimani* 276

1α,25-Dihydroxyvitamin D_3 shows strong and additive immunomodulatory effects with cyclosporine A in rat renal allotransplants. *Claudio A. Redaelli, Markus Wagner, Daniela Günter-Duwe, Ying-Hua Tian, Philip F. Stahel, Luca Mazzucchelli, Ralph A. Schmid, and Martin K. Schilling* 288

HMG-CoA reductase inhibitors are associated with reduced mortality in ESRD patients. *Stephen L. Seliger, Noel S. Weiss, Daniel L. Gillen, Bryan Kestenbaum, Adrianne Ball, Donald J. Sherrard, and Catherine O. Stehman-Breen* 297

Vascular access use in Europe and the United States: Results from the DOPPS. *Ronald L. Pisoni, Eric W. Young, Dawn M. Dykstra, Roger N. Greenwood, Erwin Hecking, Brenda Gillespie, Robert A. Wolfe, David A. Goodkin, and Philip J. Held* 305

Urea volume of distribution exceeds total body water in patients with acute renal failure. *Jonathan Himmelfarb, James Evanson, Raymond M. Hakim, Stephanie Freedman, Yu Shyr, and T. Alp Ikizler* .. 317

Low TGF-β1 serum levels are a risk factor for atherosclerosis disease in ESRD patients. *Sergio Stefoni, Giuseppe Cianciolo, Gabriele Donati, Ada Dormi, Maria Grazia Silvestri, Luigi Colì, Antonio De Pascalis, and Sandra Iannelli* 324

Phosphate kinetics during hemodialysis: Evidence for biphasic regulation. *Elaine M. Spalding, Paul W. Chamney, and Ken Farrington* 655

Demographic trends in the Okinawa Dialysis Study (OKIDS) registry (1971–2000). *Kunitoshi Iseki, Masahiko Tozawa, Chiho Iseki, Shuichi Takishita, and Yoshihide Ogawa* 668

Early application of Met-RANTES ameliorates chronic allograft nephropathy. *Erwei Song, Hequn Zou, Yousheng Yao, Amanda Proudfoot, Balazs Antus, Shanying Liu, Lutz Jens, and Uwe Heemann* 676

Molecular and structural consequences of early renal allograft injury. *Keshwar Baboolal, Geraint A. Jones, Alenka Janezic, David R. Griffiths, and Wieslaw A. Jurewicz* 686

Hemodynamic changes during hemodialysis: Role of nitric oxide and endothelin. *Dominic S.C. Raj, Brad Vincent, Keith Simpson, Etsuro Sato, Kimberly L. Jones, Tomas C. Welbourne, Moshe Levi, Vallabh Shah, Pedro Blandon, Philip Zager, and Richard A. Robbins* 697

Plasma aminothiol oxidation in chronic hemodialysis patients. *Jonathan Himmelfarb, Elizabeth McMenamin, and Ellen McMonagle* 705

Pulse pressure and risk of total mortality and cardiovascular events in patients on chronic hemodialysis. *Masahiko Tozawa, Kunitoshi Iseki, Chiho Iseki, and Shuichi Takishita* 717

Reliability of chronic allograft nephropathy diagnosis in sequential protocol biopsies. *Daniel Serón, Francesc Moreso, Xavier Fulladosa, Miguel Hueso, Marta Carrera, and Josep M. Grinyó* 727

Peritoneal and hemodialysis: I. Differences in patient characteristics at initiation. *Jay L. Xue, Shu-Cheng Chen, James P. Ebben, Edward G. Constantini, Susan E. Everson, Eric T. Frazier, Lawrence Y. Agodoa, and Allan J. Collins* 734

Peritoneal and hemodialysis: II. Mortality risk associated with initial patient characteristics. *Jay L. Xue, Susan E. Everson, Edward G. Constantini, James P. Ebben, Shu-Cheng Chen, Lawrence Y. Agodoa, and Allan J. Collins* 741

Is peritoneal dialysis adequate for hypercatabolic acute renal failure in developing countries? *Vipul Chimanlal Chitalia, Alan Fernandes Almeida, Harinakshi Rai, Mansi Bapat, Kinnari Vipul Chitalia, Vidya N. Acharya, and Ramesh Khanna* 747

Race-specific association of lipoprotein(a) with vascular access interventions in hemodialysis patients: The CHOICE Study. *Brad C. Astor, Joseph A. Eustace, Michael J. Klag, Neil R. Powe, J. Craig Longenecker, Nancy E. Fink, Santica M. Marcovina, and Josef Coresh, for the CHOICE Study* 1115

In vivo detection of acute rat renal allograft rejection by MRI with USPIO particles. *Qing Ye, Dewen Yang, Mangay Williams, Donald S. Williams, Charnchai Pluempitiwiriyawej, José M.F. Moura, and Chien Ho* ... 1124

Management of hemodialysis catheter-related bacteremia with an adjunctive antibiotic lock solution. *Zipporah Krishnasami, Donna Carlton, Lisa Bimbo, Maria E. Taylor, Daniel F. Balkovetz, Jill Barker, and Michael Allon* 1136

Association between interleukin-6 and carotid atherosclerosis in hemodialysis patients. *Akihiko Kato, Mari Odamaki, Takako Takita, Yukitaka Maruyama, Hiromichi Kumagai, and Akira Hishida* 1143

Middle molecule and small protein removal in children on peritoneal dialysis. *Giovanni Montini, Gianpaolo Amici, Sabrina Milan, Michele Mussap, Mauro Naturale, Ilse-Maria Rätsch, Anita Ammenti, Palma Sorino, Enrico Verrina, Barbara Andreetta, and Graziella Zacchello, on behalf of the Italian Registry of Pediatric Peritoneal Dialysis* 1153

Lecithinized superoxide dismutase reduces cold ischemia-induced chronic allograft dysfunction. *Ken Nakagawa, Dicken D.H. Koo, David R. Davies, Derek W.R. Gray, Andrew J. McLaren, Kenneth I. Welsh, Peter J. Morris, and Susan V. Fuggle* 1160

Acute renal allograft rejection with intimal arteritis: Histologic predictors of response to therapy and graft survival. *Mark Haas, Edward S. Kraus, Milagros Samaniego-Picota, Lorraine C. Racusen, Wen Ni, and Joseph A. Eustace* 1516

Effects of pH-neutral, bicarbonate-buffered dialysis fluid on peritoneal transport kinetics in children. *Claus P. Schmitt, Börje Haraldsson, Rouven Doetschmann, Mirjam Zimmering, Christine Greiner, Michael Böswald, Günter Klaus, Jutta Passlick-Deetjen, and Franz Schaefer* 1527

Randomized prospective comparison between erythropoietin and androgens in CAPD patients. *Juan F. Navarro, Carmen Mora, Manuel Macía, and Javier García* 1537

Increased cortisol metabolites and reduced activity of 11β-hydroxysteroid dehydrogenase in patients on hemodialysis. *Verena N'Gankam, Dominik Uehlinger, Bernhard Dick, Brigitte M. Frey, and Felix J. Frey* 1859

Persistent rejection of peritubular capillaries and tubules is associated with progressive interstitial fibrosis. *Akira Shimizu, Kazuhiko Yamada, David H. Sachs, and Robert B. Colvin* 1867

Acute graft pyelonephritis and long-term kidney allograft outcome. *Magali Giral, Giovani Pascuariello, Georges Karam, Maryvonne Hourmant, Diego Cantarovich, Jacques Dantal, Gilles Blancho, Stephanie Coupel, Regis Josien, Pascal Daguin, Sandra Méchineau, and Jean Paul Soulillou* 1880

Hypocholesterolemia is a significant predictor of death in a cohort of chronic hemodialysis patients. *Kunitoshi Iseki, Masanobu Yamazato, Masahiko Tozawa, and Shuichi Takishita* 1887

Influence of mycophenolic acid and tacrolimus on homocysteine metabolism. *Mihaela C. Ignatescu, Josef Kletzmayr, Manuela Födinger, Christian Bieglmayer, Walter H. Hörl, and Gere Sunder-Plassmann* 1894

Value of static venous pressure for predicting arteriovenous graft thrombosis. *Laura M. Dember, Erika F. Holmberg, and James S. Kaufman* 1899

Promising effects of ischemic preconditioning in renal transplantation. *Joan Torras, Immaculada Herrero-Fresneda, Nuria Lloberas, Marta Riera, Josep Mª Cruzado, and Josep Mª Grinyó* 2218

Predictors of renal function following lung or heart-lung transplantation. *Areef Ishani, Sehsuvar Erturk, Marshall I. Hertz, Arthur J. Matas, Kay Savik, and Mark E. Rosenberg* 2228

Regression of left ventricular hypertrophy after conversion to nocturnal hemodialysis. *Christopher T. Chan, John S. Floras, Judith A. Miller, Robert M.A. Richardson, and Andreas Pierratos* 2235

Relationships among inflammation nutrition and physiologic mechanisms establishing albumin levels in hemodialysis patients. *George A. Kaysen, Joel A. Dubin, Hans-Georg Müller, William E. Mitch, Laura M. Rosales, Nathan W. Levin, and the HEMO Study Group* 2240

A new technique for establishing dry weight in hemodialysis patients via whole body bioimpedance. *Paul W. Chamney, Matthias Krämer, Christiane Rode, Wolfgang Kleinekofort, and Volker Wizemann* 2250

Associations between use of cyclosporine-sparing agents and outcome in kidney transplant recipients. *Stephen P. McDonald and Graeme R. Russ* 2259

Hemodialysis vascular access preferences and outcomes in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Eric W. Young, Dawn M. Dykstra, David A. Goodkin, Donna L. Mapes, Robert A. Wolfe, and Philip J. Held* 2266

TECHNICAL NOTE

Quantifying porphobilinogen deaminase mRNA in microdissected nephron segments by a modified RT-PCR. *Dong Sun, George Seki, Shu Uwatoko, Akihide Nakao, Atsuo Goto, Toshiro Fujita, Satoshi Kimura, and Shigeo Taniguchi* 336

Selection of peptide ligands binding to the basolateral cell surface of proximal convoluted tubules. *Annette Audigé, Christoph Frick, Felix J. Frey, Luca Mazzucchelli, and Alex Odermatt* 342

Superficialization of the wrist native arteriovenous fistula for effective hemodialysis vascular access construction. *Wacław Weyde, Magdalena Krajewska, Waldemar Letachowicz, and Marian Klinger* 1170

EDITORIALS

Membranous nephropathy: Quo vadis? *Daniel C. Cattran* 349

BMP-7 and the proximal tubule. *Jeffrey B. Kopp* 351

Dying neutrophils in ANCA-associated vasculitis: Good or bad guys? *Cees G.M. Kallenberg* 758

Macrophage-mediated renal cell death. *Tiina Kipari and Jeremy Hughes* 760

Protease mediated tubular injury: A new direction in acute renal failure? *William H. Baricos* 1174

Can angiotensin II be used for renoprotection? *Dick de Zeeuw* 1176

ACE inhibitors and AT_1 receptor antagonists: Is two better than one? *Marina Noris and Giuseppe Remuzzi* 1545

Of mice and men: Murine models of anti-GBM antibody nephritis. *Dorin-Bogdan Borza and Billy G. Hudson* 1905

Angiotensin II, the AT_2 receptor, and nuclear factor kappa B activation. *Friedrich C. Luft* 2272

Diabetic nephropathy: It's in the numbers. *Agnes B. Fogo* 2274

LETTERS TO THE EDITOR

Release of urokinase plasminogen activator receptor during urosepsis and endotoxemia. *Eric Rondeau* 353

Reduced content of α subunit of Gq protein content in monocytes of Bartter and Gitelman syndromes: Relationship with vascular hyporeactivity. *Lorenzo Calò, Paul A. Davis, and Andrea Semplicini* 353

Peroxisome proliferator-activated receptors (PPARs): Novel therapeutic targets in renal disease. *Nilufer Broeders and Daniel Abramowicz* 354

Red cell traverse through thin glomerular basement membrane. *Helen Liapis, Kirk Foster, and Jeffrey H. Miner* 762

When is "aristolochic acid nephropathy" more accurate than "Chinese herbs nephropathy"? *Jean-Pierre Cosyns* 1178

Bone alkaline phosphatase isoforms in chronic renal failure. *Pablo Ureña Torres* 1178

Prediction of hypertension in hemodialysis patients. *Carmine Zoccali* 1179

The value of the (1-84) PTH/C-PTH ratio for the diagnosis of low bone turnover in dialysis patients. *Albert Fournier, Roxana Oprisiu, Delia Bunea, and Bahloul Hedi* 1181

Serum cystatin C in transplantation. *Lorenz Risch and Andreas R. Huber* 1548

Continuous renal replacement therapy versus intermittent hemodialysis in acute renal failure. *Bulent Cuhaci* 1548

Fragmentation of filtered proteins and implications for glomerular protein sieving in Fanconi syndrome. *Kerryn A. Greive, Tanya M. Osicka, Leileata M. Russo and Wayne D. Comper* 1549

Red blood cells and thin basement membrane disease. *Judy Savige and Yan Yan Wang* 1550

ANCA-associated renal vasculitis. *A. Campo, A. Grill and P. Stratta* 1550

Proteinuria in obstructive sleep apnea. *J. Sayas Catalán, M.J. Díaz-Atauri, C. Bernis and J.L. Rodicio* . . . 1551

The effect of fluid and sodium mortality on patients undergoing peritoneal dialysis. *Maian Ye, Robin B. McFee, and Paul Simoes* 1552

Dietary protein intake significantly affects the serum creatinine concentration. *Lavjay Butani, Martin S. Polinsky, Bruce A. Kaiser, and H. Jorge Baluarte* 1907

The homocysteine confusion: Now, more is better? *Caterina Canavese, Alessandra Messuerotti, Roberta Fenoglio, Paola Mesiano, Paola Massarenti, Daniela Pauletto, Giuseppe Aimo, and Gabriella Priolo* 1907

Daily hemodialysis and nutritional status. *Eric Goffin, Yolande Pirard, Julie Francart, Mercedes Vignioble, Tony Goovaerts, Annie Robert, and Yves Pirson* 1909

Moderate hyperhomocysteinemia and oxidative stress. *Barbara Frick, Gabriele Neurauter, and Dietmar Fuchs* 1910

The urinary excretion of IgG and α_1-microglobulin predicts renal outcome and identifies patients deserving treatment in membranous nephropathy. *Claudio Bazzi and Giuseppe D'Amico* 2276

NEPHROLOGY FORUM

Ischemic heart disease after renal transplantation. *Bertram L. Kasiske* 356

Acute renal failure and the sepsis syndrome. *Nestor Schor* 764

Intrarenal mechanisms of salt and water retention in the nephritic syndrome. *Luis I. Juncos* 1182

Acute inflammation in the pathogenesis of hemolytic-uremic syndrome. *Andrew J. King* 1553

Treatment of chronic tubulointerstitial disease: A new concept. *Keith A. Hruska* 1911

The initiation and progression of sickle cell nephropathy. *Donald E. Wesson* 2277

FOREFRONTS IN NEPHROLOGY

Introduction. *Victoria Cattell and Josef Pfeilschifter* 781

The complex role of nitric oxide in the regulation of glomerular ultrafiltration. *Roland C. Blantz, Aihua Deng, Mark Lortie, Karen Munger, Volker Vallon, Francis B. Gabbai, and Scott C. Thomson* 782

Nitric oxide and apoptosis in mesangial cells. *Bernhard Brüne* 786

Cross-talk between nitric oxide and superoxide determines ceramide formation and apoptosis in glomerular cells. *Andrea Pautz, Rochus Franzen, Simone Dorsch, Boris Böddinghaus, Verena A. Briner, Josef Pfeilschifter, and Andrea Huwiler* 790

Cyclic AMP increases rat inhibitor of apoptosis protein (RIAP1) mRNA in renal mesangial cells. *Markus Manderscheid, Carmen Pereda-Fernández, and Josef Pfeilschifter* 797

Nitric oxide regulates matrix metalloprotease-13 expression and activity in endothelium. *Carlos Zaragoza, Milagros Balbín, Carlos López-Otín, and Santiago Lamas* 804

Changing gears in the course of glomerulonephritis by shifting superoxide to nitric oxide-dominated chemistry. *Josef Pfeilschifter, Karl-Friedrich Beck, Wolfgang Eberhardt, and Andrea Huwiler* 809

Nitric oxide and glomerulonephritis. *Victoria Cattell* 816

A protective role for endothelial nitric oxide synthase in glomerulonephritis. *Peter Heeringa, Eric Steenbergen, and Harry van Goor* 822

Nitric oxide synthase isoform expression in acute versus chronic anti-Thy 1 nephritis. *Markus Ketteler, Ralf Westenfeld, Alexander Gawlik, Sebastian Bachmann, Alexander Frey, Gilbert Schönfelder, Martin Paul, Armin Distler, and Emile de Heer* 826

Selective inhibition of inducible nitric oxide synthase enhances intraglomerular coagulation in chronic anti-Thy 1 nephritis. *Ralf Westenfeld, Alexander Gawlik, Emile de Heer, Masashi Kitahara, Faikah Abou-Rebyeh, Juergen Floege, and Markus Ketteler* 834

Modulation of renal disease in MRL/*lpr* mice by pharmacologic inhibition of inducible nitric oxide synthase. *Christopher M. Reilly, Libby W. Farrelly, Dana Viti, Shakisha T. Redmond, Florence Hutchison, Phil Ruiz, Pam Manning, Jane Connor, and Gary S. Gilkeson* 839

Interactions between inducible nitric oxide synthase and heme oxygenase-1 in glomerulonephritis. *Prasun K. Datta, Eugene J. Gross, and Elias A. Lianos* 847

Effect of acute iNOS inhibition on glomerular function in tubulointerstitial nephritis. *Francis B. Gabbai, Terry C. Hammond, Scott C. Thomson, Ser Khang, and Carolyn J. Kelly* 851

Nitric oxide in acute renal failure: NOS versus NOS. *Michael S. Goligorsky, Sergey V. Brodsky, and Eisei Noiri* 855

Inhibition of inducible nitric oxide synthase reduces renal ischemia/reperfusion injury. *Prabal K. Chatterjee, Nimesh S.A. Patel, Espen O. Kvale, Salvatore Cuzzocrea, Paul A.J. Brown, Keith N. Stewart, Helder Mota-Filipe, and Christoph Thiemermann* 862

Inducible nitric oxide synthase in renal transplantation. *Jaap A. Joles, Ingrid H. Vos, Hermann-Josef Gröne, and Ton J. Rabelink* 872

Arginase in glomerulonephritis. *Simon N. Waddington* 876

Nitric oxide drives skin repair: Novel functions of an established mediator. *Stefan Frank, Heiko Kämpfer, Christian Wetzler, and Josef Pfeilschifter* 882

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 371, 777, 1196, 1565, 1923, 2287

Awards and Grants 372, 2288

Books Received 372, 779

Erratum 373, 779, 1197, 1566

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2290

ACKNOWLEDGMENT OF REVIEWERS 2291

AUTHOR INDEX 2296

KIDNEY INTERNATIONAL

Volume 61, Symposium 1, January 2002

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Societé Internationale de Néphrologie

Table of contents

FOREFRONTS IN NEPHROLOGY
GENE THERAPY

Introduction. *Savio Woo and Paul Klotman* S1

Herpes simplex virus as a model vector system for gene therapy in renal disease. *Betsy C. Herold, Daniel Marcellino, Glendie Marcelin, Patricia Wilson, Christopher Burrow, and Lisa M. Satlin* S3

Recent advances in recombinant adeno-associated virus vector production. *K. Reed Clark* S9

Adenovirus-mediated gene transfer to renal glomeruli in rodents. *Xuehai Ye, Marina Jerebtsova, Xue-Hui Liu, Zhuangwu Li, and Patricio E. Ray* S16

New generation adenoviral vectors improve gene transfer by coxsackie and adenoviral receptor-independent cell entry. *Paul N. Reynolds and David T. Curiel* S24

In vivo gene transfer to kidney by lentiviral vector. *G. Luca Gusella, Elena Fedorova, Daniele Marras, Paul E. Klotman, and Mary E. Klotman* S32

Gene electrotransfer: Potential for gene therapy of renal diseases. *Enyu Imai and Yoshitaka Isaka* S37

Targeted adenoviral gene transfer to the kidney. *Glenn A. McDonald* S42

Chimeric RNA/DNA oligonucleotide-based gene therapy. *Li-Wen Lai and Yeong-Hau H. Lien* S47

Polarity of α-galactosidase A uptake by renal tubule cells. *Aaron S. Stern, Mary E. Klotman, Yiannis A. Ioannou, Christopher R. Burrow, Patricia D. Wilson, Paul E. Klotman, and Michael S. Lipkowitz* S52

Gene therapy and solid-organ transplantation. *Enver Akalin and Jonathan S. Bromberg* S56

Approaches to understanding susceptibility to nephropathy: From genetics to genomics. *Sudha K. Iyengar, Jeffrey R. Schelling, and John R. Sedor* S61

Glomerular β-galactosidase expression following transduction with microsphere-adenoviral complexes. *Udayan Y. Bhatt, Thomas J. Sferra, Amy Johnson, Caroline Williams, Kristen Shirey, Tammy Venema, Gerard J. Nuovo, and N. Stanley Nahman Jr.* S68

Gene expression and identification of gene therapy targets in diabetic nephropathy. *Jun Wada, Hirofumi Makino and Yashpal S. Kanwar* S73

Cytoprotection of pancreatic islets before and early after transplantation using gene therapy. *Juan L. Contreras, Guadalupe Bilbao, Cheryl A. Smyth, Devin E. Eckhoff, Xiao L. Jiang, Stacie Jenkins, Francis T. Thomas, David T. Curiel, and Judith M. Thomas* S79

New intra-renal graft genes associated with tolerance or rejection. *Isabel M. McMorrow, Kavitha Narayan, David H. Sachs, and Christian LeGuern* S85

Gene transfer of Smad7 using electroporation of adenovirus prevents renal fibrosis in post-obstructed kidney. *Yoshio Terada, Satoko Hanada, Atushi Nakao, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* S94

Emerging targets: Molecular mechanisms of cell contact-mediated growth control. *Peter J. Nelson and Thomas O. Daniel* S99

Effects of amino acids and glucose on mesangial cell aminopeptidase a and angiotensin receptors. *Robert F. Chouinard, Rick L. Meek, Sheryl K. Cooney, and Katherine R. Tuttle* S106

Angiogenic gene therapy: pre-clinical studies and phase I clinical data. *Riyaz Bashir, Peter R. Vale, Jeffrey M. Isner, and Douglas W. Losordo* S110

Impediments to successful gene transfer to the kidney in the context of transplantation and how to overcome them. *Ariela Benigni, Susanna Tomasoni, and Giuseppe Remuzzi* S115

Aquaporin gene delivery to kidney. *Alan S. Verkman and Baoxue Yang* S120

c-myc antisense oligonucleotide treatment ameliorates murine ARPKD. *Justin L. Ricker, John E. Mata, Patrick L. Iversen, and Vincent H. Gattone II* S125

Impaired endocytosis may represent an obstacle to gene therapy in polycystic kidney disease. *Ralph Witzgall, Bettina Kränzlin, Norbert Gretz, and Nicholas Obermüller* S132

KIDNEY INTERNATIONAL

Volume 61, Supplement 80, May 2002

New Insights in End-Stage Renal Disease

First International Congress

Madrid, Spain, November 18–20, 2001

Table of contents

In Memoriam: Fernando Valderrábano. *Damaso Sanz Guajardo and Francisco Llach, translated and edited by Saulo Klahr* S-1

Introduction. *Pedro Aljama, José Miguel Cruz, Angel L. Martín de Francisco, Luis Piera, and Fernando Valderrábano* S-3

PREDIALYSIS ISSUES

Strategies to decrease cardiovascular mortality in patients with end-stage renal disease. *Ralf Dikow, Marcin Adamczak, Daniel Ernesto Henriquez, and Eberhard Ritz* S-5

Measurement of renal function in pre-ESRD patients. *Emilio Rodrigo, Angel L. Martín de Francisco, Rafael Escallada, Juan C. Ruiz, Gema F. Fresnedo, Celestino Piñera, and Manuel Arias* S-11

Slowing the progression of renal failure. *Manuel Praga* S-18

New approaches to delay the progression of chronic renal failure. *Saulo Klahr, Jeremiah Morrissey, Keith Hruska, Song Wang, and Qing Chen* S-23

An update on the referral pattern of patients with end-stage renal disease. *Norbert Lameire, Jean-Pierre Wauters, Jose Luis Górriz Teruel, Wim Van Biesen, and Raymond Vanholder* S-27

ANEMIA IN PREDIALYSIS AND DIALYSIS PATIENTS

Anemia and left ventricular hypertrophy in chronic kidney disease populations: A review of the current. *Adeera Levin* S-35

What should the optimal target hemoglobin be? *Juan M. López Gómez and Fernando Carrera* ... S-39

Influence of target hemoglobin in dialysis patients on morbidity and mortality. *Allan J. Collins* ... S-44

Occult infection of old nonfunctioning arteriovenous grafts: A novel cause of erythropoietin resistance and chronic inflammation in hemodialysis patients. *George M. Nassar, Steven Fishbane, and Juan Carlos Ayus* S-49

Darbepoetin alfa: A new therapeutic agent for renal anemia. *Iain C. Macdougall* S-55

Kidney and hypertension. *Marcin Adamczak, Martin Zeier, Ralf Dikow, and Eberhard Ritz* S-62

CHRONIC RENAL FAILURE AFTER TRANSPLANTATION

How should the immunosuppressive regimen be managed in patients with established chronic allograft failure? *Gabriel M. Danovitch* S-68

Hyperlipidemia: A risk factor for chronic allograft dysfunction. *Isabel Beneyto Castelló* S-73

Cardiovascular disease after renal transplantation. *Emöke M. Dimény* S-78

Return to dialysis after renal transplantation. Which would be the best way? *Manuel Arias, Rafael Escallada, Angel L. Martín de Francisco, Emilio Rodrigo, Gema Fernández-Fresnedo, Mª Angeles Setién, Celestino Piñera, Juan Carlos Ruiz, Isabel Herráez, and Julio Cotorruelo* S-85

Contents continued

THE ACUTE-PHASE INFLAMMATORY PROCESS

Cell apoptosis and hemodialysis-induced inflammation. *Julia Carracedo, Rafael Ramírez, Juan A. Madueño, Sagrario Soriano, Alberto Rodríguez-Benot, Mariano Rodríguez, Alejandro Martín-Malo, and Pedro Aljama* S-89

Chronic inflammation and clinical outcome in adult hemodialysis patients. *Edmund G. Lowrie* S-94

Inflammation and cardiovascular risk in dialysis patients. *Christoph Wanner, Josef Zimmermann, Susanne Schwedler, and Thomas Metzger* S-99

Mortality, malnutrition, and atherosclerosis in ESRD: What is the role of interleukin-6? *Peter Stenvinkel, Peter Barany, Olof Heimbürger, Roberto Pecoits-Filho, and Bengt Lindholm* S-103

Oxidative stress in hemodialysis patients: Is NADPH oxidase complex the culprit? *Marion Morena, Jean-Paul Cristol, Lynne Senécal, Helene Leray-Moragues, Detlef Krieter, and Bernard Canaud* S-109

TECHNICAL ADVANCES IN HEMODIALYSIS

The importance of convective transport. *Francesco Locatelli, Celestina Manzoni, and Salvatore Di Filippo* S-115

The bioartificial kidney in the treatment of acute renal failure. *H. David Humes, William H. Fissell, and William F. Weitzel* S-121

Hemodialyzer: From macro-design to membrane nanostructure; the case of the FX-class of hemodialyzers. *Claudio Ronco, Sudhir Kumar Bowry, Alessandra Brendolan, Carlo Crepaldi, Giuliano Soffiati, Antonio Fortunato, Valeria Bordoni, Alessandro Granziero, Giuseppe Torsello, and Giuseppe La Greca* S-126

RENAL BONE DISEASE

Control of uremic bone disease: Role of vitamin D analogs. *Eduardo Slatopolsky, Adriana Dusso, and Alex J. Brown* S-143

The calcimimetic agents: Perspectives for treatment. *João M. Frazão, Patrícia Martins, and Jack W. Coburn* S-149

Pathogenesis of refractory secondary hyperparathyroidism. *Mariano Rodriguez, Antonio Canalejo, Bartolome Garfia, Escolastico Aguilera, and Yolanda Almaden* S-155

Parathyroidectomy in dialysis patients. *Angel L.M. de Francisco, Gema Fernández Fresnedo, Emilio Rodrigo, Celestino Piñera, J.A. Amado, and M. Arias* S-161

LETTER

My dear Fernando. *Jose Miguel Cruz* S-167